Application No. 10/802,627 Submission Dated July 23, 2008 Reply to Office Action of July 20, 2007 Page 2 of 9

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

- 1. (withdrawn) A process for preparing amorphous form of valsartan comprising the steps of:
 - a) precipitating amorphous valsartan from a solution of valsartan in methyl tbutyl ether; and
 - b) recovering valsartan amorphous form, wherein the amorphous form has a DSC thermogram that lacks a melting enthalpy above about 1 J/g.
- 2. (canceled)
- 3. (withdrawn) A process for preparing amorphous form of valsartan comprising the steps of:
 - a) precipitating amorphous valsartan from a mixture of water and a solvent selected from the group consisting of ethanol, DMF, acetone and mixtures thereof; and
 - b) recovering the precipitated amorphous valsartan, wherein the amorphous form has a DSC thermogram that lacks a melting enthalpy above about 1 J/g.
- 4. (withdrawn) The process of claim 3, wherein precipitating is carried out by combining water as an anti-solvent with the solution of valsartan in the solvent.
- 5. (withdrawn) A process for preparing amorphous form of valsartan comprising the steps of:
 - a) preparing a solution of valsartan in a solvent selected from the group consisting of tetrahydrofuran, dioxane, ethanol, isopropanol, and diethyl ether;
 and
 - b) removing the solvent to obtain the amorphous valsartan, wherein the amorphous form has a DSC thermogram that lacks a melting enthalpy above about 1 J/g.
- 6. (withdrawn) The process of claim 5, wherein removing is carried out by evaporation.
- 7. (canceled)
- 8. (withdrawn) A process for preparing amorphous form of valsartan comprising the steps of:

Application No. 10/802,627 Submission Dated July 23, 2008 Reply to Office Action of July 20, 2007 Page 3 of 9

- a) suspending valsartan in water to obtain amorphous valsartan; and
- b) recovering the amorphous valsartan, wherein the amorphous form has a DSC thermogram that lacks a melting enthalpy above about 1 J/g.
- 9. (withdrawn) The process of claim 8, wherein the suspending step includes heating.
- 10. (canceled)
- 11. (canceled)
- 12. (withdrawn) A process for preparing amorphous form of valsartan comprising the steps of:
 - a) acidifying a basic aqueous solution of valsartan, wherein the acidifying results in precipitation of amorphous valsartan; and
 - b) recovering the precipitated amorphous valsartan, wherein the amorphous form has a DSC thermogram that lacks a melting enthalpy above about 1 J/g.
- 13. (withdrawn) The process of claim 12, wherein the acidifying results in a pH of from about 2 to about 5.
- 14. (withdrawn) A process for preparing amorphous form of valsartan comprising the steps of:
 - a) heating valsartan in diisopropyl ether to obtain amorphous valsartan; and
 - b) recovering the amorphous valsartan, wherein the amorphous form has a DSC thermogram that lacks a melting enthalpy above about 1 J/g.
- 15. (canceled)
- 16. (canceled)
- 17. (previously presented) Amorphous form of valsartan, wherein the amorphous form has a DSC thermogram that lacks a melting enthalpy above about 1 J/g.
- 18. (canceled)
 - 19-80. (canceled)
- 81. (withdrawn) A pharmaceutical composition comprising amorphous valsartan of claim 17, and a pharmaceutically acceptable excipient.
- 82. (withdrawn) A method for treating hypertension in a mammal comprising the step of administering the pharmaceutical composition of claim 81 to the mammal in need thereof.

Application No. 10/802,627 Submission Dated July 23, 2008 Reply to Office Action of July 20, 2007 Page 4 of 9

- 83. (previously presented) Amorphous valsartan having a DSC thermogram that lacks a melting enthalpy above about 1 J/g in region of about 80°C to about 100°C in said DSC.
- 84. (withdrawn) A process for preparing amorphous form of valsartan comprising the steps of:
 - a) precipitating amorphous valsartan from a mixture of water and a solvent selected from the group consisting of ethanol, DMF, acetone and mixtures thereof; and
 - b) recovering the precipitated amorphous valsartan, wherein the amorphous form has a DSC thermogram lacks a melting enthalpy above about 1 J/g in region of about 80°C to about 100°C in said DSC.
- 85. (withdrawn) The process of claim 84, wherein precipitating is carried out by combining water as an anti-solvent with the solution of valsartan in the solvent.
- 86. (withdrawn) A process for preparing amorphous form of valsartan comprising the steps of:
 - a) preparing a solution of valsartan in a solvent selected from the group consisting of tetrahydrofuran, dioxane, ethanol, isopropanol, and diethyl ether; and
 - b) removing the solvent to obtain the amorphous valsartan, wherein the amorphous form has a DSC thermogram that lacks a melting enthalpy above about 1 J/g in region of about 80°C to about 100°C in said DSC.
- 87. (withdrawn) The process of claim 86, wherein removing is carried out by evaporation.
- 88. (withdrawn) A process for preparing amorphous form of valsartan comprising the steps of:
 - a) suspending valsartan in water to obtain amorphous valsartan; and
 - b) recovering the amorphous valsartan, wherein the amorphous form has a DSC thermogram that lacks a melting enthalpy above about 1 J/g in region of about 80°C to about 100°C in said DSC.
- 89. (withdrawn) The process of claim 88, wherein the suspending step includes heating.
- 90. (withdrawn) A process for preparing amorphous form of valsartan comprising the steps of:

Application No. 10/802,627 Submission Dated July 23, 2008 Reply to Office Action of July 20, 2007 Page 5 of 9

- a) acidifying a basic aqueous solution of valsartan, wherein the acidifying results in precipitation of amorphous valsartan; and
- b) recovering the precipitated amorphous valsartan, wherein the amorphous form has a DSC thermogram lacks a melting enthalpy above about 1 J/g in region of about 80°C to about 100°C in said DSC.
- 91. (withdrawn) The process of claim 90, wherein the acidifying results in a pH of from about 2 to about 5.
- 92. (withdrawn) A process for preparing amorphous form of valsartan comprising the steps of:
 - a) heating valsartan in diisopropyl ether to obtain amorphous valsartan; and
 - b) recovering the amorphous valsartan, wherein the amorphous form has a DSC thermogram lacks a melting enthalpy above about 1 J/g in region of about 80°C to about 100°C in said DSC.
- 93. (withdrawn) A pharmaceutical composition comprising amorphous valsartan of claim 83, and a pharmaceutically acceptable excipient.
- 94. (withdrawn) A method for treating hypertension in a mammal comprising the step of administering the pharmaceutical composition of claim 93 to the mammal in need thereof.
 - 95. (new) Amorphous valsartan having a halo powder X-ray pattern free of peaks.
 - 96. (new) Amorphous valsartan having a PXRD pattern as depicted in Figure 2.